



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Cyclo

U.S. Patent No.: 6,995,149

Serial No. : 09/091,665

Filed : June 22, 1998

Issued : February 7, 2006

For : Contraceptive Process And Kit For Female Mammals, Comprising A Combination Of Gestagen And Oestrogen

**PETITION FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 C.F.R. § 1.322 OR § 1.323**

Assistant Commissioner for Patents
Washington, D. C. 20231

Sir:

Applicants hereby request that the above-identified U.S. patent be corrected in accordance with the attached Certificate of Correction.

I. C.F.R. § 1.322

- ☒ The mistake(s) were incurred through the fault of the Patent and Trademark Office and are clearly disclosed in the records of the Office. Therefore, no fee is due.

II. C.F.R. § 1.323

- ☒ At least some of the mistakes were made by the applicant. Therefore, a check in the amount of \$100.00 in payment of the fee set forth in 37 C.F.R. § 1.20(a) is enclosed herewith.

Enclosed herewith is a Form PTO-1050 (in duplicate) listing errors that have been found in the above-identified patent. The error(s) are of a clerical or typographical nature or of minor character and were made in good faith. The requested correction(s) do not constitute new matter or require reexamination.

**Certificate
DEC 05 2006
of Correction**

12/01/2006 SZENDIEI 00000000 6995149


01 FC:1011

100.00 00

DEC - 6 2006

III. Accordingly, patentees and their assignee respectfully request that the Patent and Trademark Office issue a Certificate of Correction pursuant to 37 C.F.R. § 1.322 or § 1.323, respectively.

Respectfully submitted,



Brian P. Heaney, Reg. No. 32,542
Attorney for Applicants

MILLEN, WHITE, ZELANO
& BRANIGAN, P.C.
Arlington Courthouse Plaza 1
2200 Clarendon Blvd. Suite 1400
Arlington, Virginia 22201
Telephone: (703) 243-6333
Facsimile: (703) 243-6410

Attorney Docket No.: SCH-1637

Date: November 30, 2006

BPH/rak

DEC - 6 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,995,149

DATED : February 7, 2006

INVENTOR(S) : ENDRIKAT et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 8, line 23 reads "ovulation inhibiting" should read -- ovulation-inhibiting --
Column 8, line 25 reads "and are administered" should read -- are administered --
Column 8, line 57 reads "administered at in a" should read -- administered at a --
Column 9, line 26 reads "ovulation inhibiting" should read -- ovulation-inhibiting --
Column 9, line 32 reads "and/the" should read -- and the--
Column 9, line 35 reads "and/the" should read -- and the--
Column 9, line 38 reads "and/the" should read -- and the--
Column 9, line 41 reads "and/the" should read -- and the--
Column 9, line 44 reads "and/the" should read -- and the--
Column 10, line 5 reads "according to claim 25," should read -- according to claim 43, --

MAILING ADDRESS OF SENDER:

Millen, White, Zelano & Branigan, P.C.
2200 Clarendon Blvd, Suite 1400
Arlington, VA 22201

PATENT NO. 6,995,149

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

DEC - 6 2006